

TRAFFIC BARRIER HOTEL



Technical Information

Tested to withstand force of (Joule)	10.000 J
Vehicle weight equivalent (kg)	5.000 kg
Vehicle equivalent speed (km/h)	7,2 km/h
Equivalent angle of impact	90°
Deflection zone	250 mm

Material Properties


Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO2 / m ³	20 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Art. No.	Description	Height	Weight
DFVBD-E	End post	706 mm	15,5 kg
DFVBD-M	Middle post	706 mm	15,9 kg
Art. No.	Description	Length	Weight
DFVBD-R	2 Standard pipes Ø 160 mm	2 x 930 mm	5,2 kg
DFVBD-I	2 Standard pipes Ø 160 mm	Individual length 2 x 400 - 929 mm	5,2 kg / m

Article description Endpost
Item number DFVBD-E
EAN 4250912311541
Customs tariff number 39269097




Height 706 mm
Width 225 mm
Length 650 mm
Diameter
Deflection zone 250 mm

Net weight 14,5 kg
Material Polyethylene
Color Yellow (like RAL 1018 traffic yellow) / black
Indoor use Yes
Outdoor use Yes
Boreholes 4
Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions M12X85



Material Properties

Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°





Environment

CO₂ / m³ 20 kg
 Recyclability 100%

Other

Standard Warranty 5 years



Article description Endpost
Item number DFVBD-M
EAN 4250912311558
Customs tariff number 39269097




Height 706 mm
Width 225 mm
Length 1000 mm
Diameter
Deflection zone 250 mm

Net weight 15,9 kg
Material Polyethylene
Color Yellow (like RAL 1018 traffic yellow) / black
Indoor use Yes
Outdoor use Yes
Boreholes 4
Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions M12X85



Material Properties

Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°





Environment

CO₂ / m³ 20 kg
 Recyclability 100%

Other

Standard Warranty 5 years



Article description	Standard pipe Ø 160 mm
Item number	DFVBD-R
EAN	4250912311565
Customs tariff number	39269097




Height	
Width	
Length	930 mm
Diameter	160 mm
Deflection zone	See post

Net weight	5,2 kg
Material	Polyethylene
Color	Yellow (like RAL 1018 traffic yellow)
Indoor use	Yes
Outdoor use	Yes
Boreholes	
Fixing	



Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°





Environment

CO ₂ / m ³	20 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Article description	Standard pipe individual length \varnothing 160 mm
Item number	DFVBD-I
EAN	4250912311572
Customs tariff number	39269097




Height	
Width	
Length	individual length 930- 4050 mm
Diameter	160 mm
Deflection zone	See post

Net weight	5,2 kg
Material	Polyethylene
Color	Yellow (like RAL 1018 traffic yellow)
Indoor use	Yes
Outdoor use	Yes
Boreholes	
Fixing	



Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°



Environment

CO ₂ / m ³	20 kg
Recyclability	100%

Other

Standard Warranty 5 years

