

# SLIDE GATE OSCAR



## Material Properties


Chemical Resistance high- ISO/TR 10358  
 Temperature Range -10° up to + 50°

## Environment

Recyclability 100%

## Other

Standard Warranty 5 years



Art. No.	Description	Weight
DFFS-4H1243	d-flexx Delta Oscar 4 beamset ø63 x 1243mm	5,2 kg
DFFS-4H1443	d-flexx Delta Oscar 4 beamset ø63 x 1443mm	6,0 kg
DFFS-4H1743	d-flexx Delta Oscar 4 beamset ø63 x 1743mm	7,3 kg
DFFS-H1243	d-flexx Delta Oscar 3 beamset ø63 x 1243mm	3,9 kg
DFFS-H1443	d-flexx Delta Oscar 3 beamset ø63 x 1443mm	4,5 kg
DFFS-H1743	d-flexx Delta Oscar 3 beamset ø63 x 1743mm	5,5 kg
DFOS+1000	d-flexx Echo Oscar beamset 1000mm	6,4 kg
DFOS+1200	d-flexx Echo Oscar beamset 1200mm	7,8 kg
DFOS+1500	d-flexx Echo Oscar beamset 1500mm	9,9 kg
DFOS-T1000	d-flexx Oscar slide gate 1000 mm	10,4 kg
DFOS-T1200	d-flexx Oscar slide gate 1200 mm	8,1 kg
DFOS-T1500	d-flexx Oscar slide gate 1500 mm	8,5 kg
DFOS+DFVB+M	d-flexx Echo Oscar middel post ø 200 x 1200 mm	16,0 kg
DFOS-4DFFS-M	d-flexx Delta 4 Oscar middel post ø 110 x 1200 mm	10,2 kg
DFOS-DFFS-M	d-flexx Delta Oscar middel post ø 110 x 1200 mm	10,4 kg
DFOS-DFFS-1000	d-flexx Delta Oscar Sliding gate 1000 mm	22,3 kg
DFOS-DFFS-1200	d-flexx Delta Oscar sliding gate 1200 mm	44,3 kg
DFOS-DFFS-1500	d-flexx Delta Oscar sliding gate 1500 mm	24,9 kg
DFOS-4DFFS-1000	d-flexx Delta Oscar 4 sliding gate 1000 mm	44,4 kg
DFOS-4DFFS-1200	d-flexx Delta Oscar 4 sliding gate 1200 mm	45,6 kg
DFOS-4DFFS-1500	d-flexx Delta Oscar 4 sliding gate 1500 mm	47,5 kg
DFOS+DFVB+1000	d-flexx Echo Oscar sliding gate 1000 mm	57,4 kg
DFOS+DFVB+1200	d-flexx Echo Oscar sliding gate 1200 mm	59,2 kg
DFOS+DFVB+1500	d-flexx Echo Oscar sliding gate 1500 mm	61,9 kg
84057	d-flexx Oscar sticker 4 pcs set	

**Article description** d-flexx Echo Oscar sliding gate 1000 mm  
**Item number** DFOS+DFVB+1000  
**EAN** 4250912396418  
**Customs tariff number** 39269097



**Height** 1000 mm  
**Width** 225 mm  
**Passage width** 1500 mm  
**Total length** 2464 mm  
**Diameter**  
**Deflection zone** 250 mm

**Net weight** 57,4 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes** 4  
**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**


**Chemical Resistance** high- ISO/TR 10358  
**Temperature Range** -10° up to + 50°

**Environment**


**Recyclability** 100%

**Other**

**Standard Warranty** 5 years



**Posts marked in red are not included in delivery!**



**Article description** d-flexx Echo Oscar sliding gate 1200 mm  
**Item number** DFOS+DFVB+1200  
**EAN** 4250912396425  
**Customs tariff number** 39269097



**Height** 1200 mm  
**Width** 225 mm  
**Passage width** 1200 mm  
**Total length** 2863 mm  
**Diameter**  
**Deflection zone** 250 mm

**Net weight** 59,2 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes** 4  
**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**


**Chemical Resistance** high- ISO/TR 10358  
**Temperature Range** -10° up to + 50°

**Environment**


**Recyclability** 100%

**Other**

**Standard Warranty** 5 years



**Posts marked in red are not included in delivery!**



**Article description** d-flexx Echo Oscar sliding gate 1500 mm  
**Item number** DFOS+DFVB+1500  
**EAN** 4250912396432  
**Customs tariff number** 39269097




**Height** 1200 mm  
**Width** 225 mm  
**Passage width** 1500 mm  
**Total length** 3463 mm  
**Diameter**  
**Deflection zone** 250 mm

**Net weight** 61,9 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes** 4  
**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.  
**Fixing dimensions** M12X85



**Material Properties**

**Chemical Resistance** high- ISO/TR 10358  
**Temperature Range** -10° up to + 50°




**Environment**


**Recyclability** 100%

**Other**

**Standard Warranty** 5 years



**Posts marked in red are not included in delivery!**



**Article description** d-flexx Delta Oscar Sliding gate 1000 mm  
**Item number** DFOS-DFFS-1000  
**EAN** 4250912396388  
**Customs tariff number** 39269097



**Height** 1200 mm  
**Width** 225 mm  
**Passage width** 1000 mm  
**Total length** 2463 mm  
**Diameter**  
**Deflection zone** 250 mm

**Net weight** 22,3 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes** 4  
**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.  
**Fixing dimensions** M12X85



**Material Properties**

**Chemical Resistance** high- ISO/TR 10358  
**Temperature Range** -10° up to + 50°




**Environment**


Recyclability 100%

**Other**

Standard Warranty 5 years



**Posts marked in red are not included in delivery!**



**Article description** d-flexx Delta Oscar Sliding gate 1200 mm  
**Item number** DFOS-DFFS-1200  
**EAN** 4250912396395  
**Customs tariff number** 39269097



**Height** 1200 mm  
**Width** 225 mm  
**Passage width** 1200 mm  
**Total length** 2863 mm  
**Diameter**  
**Deflection zone** 250 mm

**Net weight** 24,3 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes** 4

**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**


Chemical Resistance high- ISO/TR 10358  
 Temperature Range -10° up to + 50°

**Environment**


Recyclability 100%

**Other**

Standard Warranty 5 years



**Posts marked in red are not included in delivery!**




**Article description** d-flexx Delta Oscar Sliding gate 1500 mm  
**Item number** DFOS-DFFS-1500  
**EAN** 4250912396401  
**Customs tariff number** 39269097




**Height** 1200 mm  
**Width** 225 mm  
**Passage width** 1500 mm  
**Total length** 3464 mm  
**Diameter**  
**Deflection zone** 250 mm

**Net weight** 24,9 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes** 4  
**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.  
**Fixing dimensions** M12X85



**Material Properties**

Chemical Resistance high- ISO/TR 10358  
 Temperature Range -10° up to + 50°




**Environment**


Recyclability 100%

**Other**

Standard Warranty 5 years



**Posts marked in red are not included in delivery!**



**Article description** d-flexx Delta Oscar 4 sliding gate 1000 mm  
**Item number** DFOS-4DFFS-1000  
**EAN** 4250912396746  
**Customs tariff number** 39269097




**Height** 1216 mm  
**Width** 225 mm  
**Passage width** 1000 mm  
**Total length** 2463 mm  
**Diameter**  
**Deflection zone** 250 mm

**Net weight** 44,4 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes** 4  
**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.  
**Fixing dimensions** M12X85



**Material Properties**

**Chemical Resistance** high- ISO/TR 10358  
**Temperature Range** -10° up to + 50°




**Environment**


**Recyclability** 100%

**Other**

**Standard Warranty** 5 years



**Posts marked in red are not included in delivery!**





**Article description** d-flexx Delta Oscar 4 sliding gate 1200 mm  
**Item number** DFOS-4DFFS-1200  
**EAN** 4250912396425  
**Customs tariff number** 39269097



**Height** 1216 mm  
**Width** 225 mm  
**Passage width** 1200 mm  
**Total length** 2863 mm  
**Diameter**  
**Deflection zone** 250 mm

**Net weight** 45,6 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes** 4  
**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**


Chemical Resistance high- ISO/TR 10358  
 Temperature Range -10° up to + 50°

**Environment**


Recyclability 100%

**Other**

Standard Warranty 5 years



**Posts marked in red are not included in delivery!**




**Article description** d-flexx Delta Oscar 4 sliding gate 1500 mm  
**Item number** DFOS-4DFFS-1500  
**EAN** 4250912396432  
**Customs tariff number** 39269097



**Height** 1216 mm  
**Width** 225 mm  
**Passage width** 1500 mm  
**Total length** 3463 mm  
**Diameter**  
**Deflection zone** 250 mm

**Net weight** 47,5 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes** 4  
**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.  
**Fixing dimensions** M12X85



**Material Properties**

Chemical Resistance high- ISO/TR 10358  
 Temperature Range -10° up to + 50°




**Environment**


Recyclability 100%

**Other**

Standard Warranty 5 years



**Posts marked in red are not included in delivery!**



**Article description** d-flexx Oscar sticker 4 pcs set  
**Item number** 84057  
**EAN** 4250912396807  
**Customs tariff number** 39269097



**Height**  
**Width**  
**Passage width**  
**Total length**  
**Diameter**  
**Deflection zone**

**Net weight**

**Material**

**Color**

**Indoor use** Yes

**Outdoor use** Yes

**Boreholes**

**Fixing**

**Fixing dimensions**



**Material Properties**

**Chemical Resistance** high- ISO/TR 10358  
**Temperature Range** -10° up to + 50°





**Environment**

**Recyclability** 100%

**Other**

**Standard Warranty** 5 years



**Article description** d-flexx Delta Oscar 4 beamset ø63 x 1243mm  
**Item number** DFFS-4H1243  
**EAN** 4250912396272  
**Customs tariff number** 39269097



**Height**  
**Width** 1243 mm  
**Passage width**  
**Total length**  
**Diameter**  
**Deflection zone**

**Net weight** 5,2 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes

**Boreholes**

**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**



Chemical Resistance high- ISO/TR 10358  
 Temperature Range -10° up to + 50°

**Environment**

Recyclability 100%

**Other**

Standard Warranty 5 years



**Article description** d-flexx Delta Oscar 4 beamset ø63 x 1443mm  
**Item number** DFFS-4H1443  
**EAN** 4250912396289  
**Customs tariff number** 39269097




**Height**  
**Width**  
**Passage width** 1443 mm  
**Total length**  
**Diameter**  
**Deflection zone**

**Net weight**  
**Material** 6,0 kg  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes



**Boreholes**  
**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.  
**Fixing dimensions** M12X85



**Material Properties**  
 Chemical Resistance high- ISO/TR 10358  
 Temperature Range -10° up to + 50°



**Environment** Recyclability 100%  
**Other** Standard Warranty 5 years



**Article description** d-flexx Delta Oscar 4 beamset ø63 x 1743mm  
**Item number** DFFS-4H1743  
**EAN** 4250912396296  
**Customs tariff number** 39269097



**Height**  
**Width**  
**Passage width** 1743 mm  
**Total length**  
**Diameter**  
**Deflection zone**

**Net weight**  
**Material** 7,3 kg  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes



**Boreholes**  
**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.  
**Fixing dimensions** M12X85



**Material Properties**  
 Chemical Resistance high- ISO/TR 10358  
 Temperature Range -10° up to + 50°



**Environment** Recyclability 100%  
**Other** Standard Warranty 5 years



**Article description** d-flexx Delta Oscar 3 beamset ø63 x 1243mm  
**Item number** DFFS-H1243  
**EAN** 4250912396302  
**Customs tariff number** 39269097



**Height**  
**Width** 1243 mm  
**Passage width**  
**Total length**  
**Diameter**  
**Deflection zone**

**Net weight** 3,9 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes

**Boreholes**

**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**




Chemical Resistance high- ISO/TR 10358  
 Temperature Range -10° up to + 50°

**Environment**

Recyclability 100%

**Other**

Standard Warranty 5 years



**Article description** d-flexx Delta Oscar 3 beamset ø63 x 1443mm  
**Item number** DFFS-H1443  
**EAN** 4250912396319  
**Customs tariff number** 39269097



**Height**  
**Width** 1443 mm  
**Passage width**  
**Total length**  
**Diameter**  
**Deflection zone**

**Net weight** 4,5 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes

**Boreholes**

**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**



Chemical Resistance high- ISO/TR 10358  
 Temperature Range -10° up to + 50°

**Environment**

Recyclability 100%

**Other**

Standard Warranty 5 years





**Article description** d-flexx Delta Oscar 3 beamset ø63 x 1743mm  
**Item number** DFFS-H1743  
**EAN** 4250912396265  
**Customs tariff number** 39269097



**Height**  
**Width** 1743 mm  
**Passage width**  
**Total length**  
**Diameter**  
**Deflection zone**

**Net weight** 5,5 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes

**Boreholes**

**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**




Chemical Resistance high- ISO/TR 10358  
 Temperature Range -10° up to + 50°

**Environment**

Recyclability 100%

**Other**

Standard Warranty 5 years



**Article description** d-flexx Echo Oscar beamset 1000mm  
**Item number** DFOS+1000  
**EAN** 4250912396333  
**Customs tariff number** 39269097



**Height**  
**Width** 1243 mm  
**Passage width**  
**Total length**  
**Diameter**  
**Deflection zone**

**Net weight** 6,4 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes

**Boreholes**

**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**




Chemical Resistance high- ISO/TR 10358  
 Temperature Range -10° up to + 50°

**Environment**

Recyclability 100%

**Other**

Standard Warranty 5 years



**Article description** d-flexx Echo Oscar beamset 1200mm  
**Item number** DFOS+1200  
**EAN** 4250912396326  
**Customs tariff number** 39269097



**Height**  
**Width** 1443 mm  
**Passage width**  
**Total length**  
**Diameter**  
**Deflection zone**

**Net weight** 7,8 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes



**Boreholes**  
**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.  
**Fixing dimensions** M12X85



**Material Properties**  
 Chemical Resistance high- ISO/TR 10358  
 Temperature Range -10° up to + 50°



**Environment** Recyclability 100%  
**Other** Standard Warranty 5 years



**Article description** d-flexx Echo Oscar beamset 1500mm  
**Item number** DFOS+1500  
**EAN** 4250912396340  
**Customs tariff number** 39269097




**Height**  
**Width** 1743 mm  
**Passage width**  
**Total length**  
**Diameter**  
**Deflection zone**

**Net weight** 9,9 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes



**Boreholes**  
**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.  
**Fixing dimensions** M12X85



**Material Properties**  
 Chemical Resistance high- ISO/TR 10358  
 Temperature Range -10° up to + 50°



**Environment** Recyclability 100%  
**Other** Standard Warranty 5 years



**Article description** d-flexx Oscar slide gate 1000 mm  
**Item number** DFOS-T1000  
**EAN** 4250912396227  
**Customs tariff number** 39269097



**Height**  
**Width** 1397,65 mm  
**Passage width**  
**Total length**  
**Diameter**  
**Deflection zone**

**Net weight** 10,4 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes

**Boreholes**

**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**




**Chemical Resistance** high- ISO/TR 10358  
**Temperature Range** -10° up to + 50°

**Environment**

**Recyclability** 100%

**Other**

**Standard Warranty** 5 years



**Article description** d-flexx Oscar slide gate 1200 mm  
**Item number** DFOS-T1200  
**EAN** 4250912396234  
**Customs tariff number** 39269097



**Height**  
**Width** 1597,65 mm  
**Passage width**  
**Total length**  
**Diameter**  
**Deflection zone**

**Net weight** 10,4 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes

**Boreholes**

**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**




**Chemical Resistance** high- ISO/TR 10358  
**Temperature Range** -10° up to + 50°

**Environment**

**Recyclability** 100%

**Other**

**Standard Warranty** 5 years



**Article description** d-flexx Oscar slide gate 1500 mm  
**Item number** DFOS-T1500  
**EAN** 4250912396241  
**Customs tariff number** 39269097



**Height**  
**Width** 1897,65 mm  
**Passage width**  
**Total length**  
**Diameter**  
**Deflection zone**

**Net weight** 8,5 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes

**Boreholes**

**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**



**Chemical Resistance** high- ISO/TR 10358  
**Temperature Range** -10° up to + 50°

**Environment**

**Recyclability** 100%

**Other**

**Standard Warranty** 5 years



**Article description** d-flexx Echo Oscar Middel post  $\varnothing$  200 x 1200 mm  
**Item number** DFOS+DFVB+M  
**EAN** 4250912396357  
**Customs tariff number** 39269097



**Height** 1216 mm  
**Width** 225 mm  
**Passage width**  
**Total length**  
**Diameter** 110 mm  
**Deflection zone**

**Net weight** 16,0 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes

**Boreholes**

**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**



**Chemical Resistance** high- ISO/TR 10358  
**Temperature Range** -10° up to + 50°

**Environment**

**Recyclability** 100%

**Other**

**Standard Warranty** 5 years





**Article description** d-flexx Delta 4 Oscar Middelpost ø 110 x 1200 mm  
**Item number** DFOS-4DFFS-M  
**EAN** 4250912396357  
**Customs tariff number** 39269097



**Height** 1216 mm  
**Width** 225 mm  
**Passage width**  
**Total length**  
**Diameter** 110 mm  
**Deflection zone**

**Net weight** 10,2 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes

**Boreholes**

**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**



**Chemical Resistance** high- ISO/TR 10358  
**Temperature Range** -10° up to + 50°

**Environment**

**Recyclability** 100%

**Other**

**Standard Warranty** 5 years



**Article description** d-flexx Delta 4 Oscar Middelpost ø 110 x 1200 mm  
**Item number** DFOS-DFFS-M  
**EAN** 4250912396371  
**Customs tariff number** 39269097



**Height** 1216 mm  
**Width** 225 mm  
**Passage width**  
**Total length**  
**Diameter** 110 mm  
**Deflection zone**

**Net weight** 10,4 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow) / black  
**Indoor use** Yes  
**Outdoor use** Yes

**Boreholes**

**Fixing** The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

**Fixing dimensions** M12X85

**Material Properties**

**Chemical Resistance** high- ISO/TR 10358  
**Temperature Range** -10° up to + 50°

**Environment**

**Recyclability** 100%

**Other**

**Standard Warranty** 5 years

